



### No. 3200VA-1 VA cable stripper

- ●Even for eco-friendly PE cables, clear stripping can be perfectly achieved with light force.
- •Corresponds to various sheath hardness according to cable manufacturers. Can adjust cutting depth in 5 steps.
- Precision blades by the metal injection offer excellent cutting quality.
- Designed to hold wire sheath so that the core conductor is always located at the center, preventing the blades from cutting into the conductor.





Model No.     Coverall length (mm)     Weight (g)     Wire size     Outer Ctn.     EDP No.       3200VA-1     180     370     PVC cables (VVF/ VA cables) PE cables (EM-EEF/ Eco cables) φ1.6mm duplex/φ2.0mm duplex φ1.6mm triplex/φ2.0mm triplex     5     141016						
<b>3200VA-1</b> 180 370 PE cables (EM-EEF/ Eco cables) $\phi$ 1.6mm duplex/ $\phi$ 2.0mm duplex 5 141016	Model No.	length	0	Wire size		EDP No.
	3200VA-1	180	370	PE cables (EM-EEF/ Eco cables) $\phi$ 1.6mm duplex/ $\phi$ 2.0mm duplex	5	141016

			Package siz	ze…250	)×115×63mm
Mean	No. WB-	013 For 3200VA	A-1 Replace	eme	nt Blade
115	Model No.	Applicable wire stripper	Package size (mm)	Inner Ctn.	EDP No.
E	WB-013	3200VA-1	120×45×3	10	141084

# No. 3700KS/KM Cable Stripper



- ●Easy to strip the wire sheath simply by turning the stripper aroung the cable.
- Easy-handling non-slip pad on retaining hardware.
- ●Enables to adjust the cutting depth with a dial on the bottom. Light-weight and compact portable model.



Model No.	Overall length (mm)	Weight (g)	Strip Capacity	Inner Ctn.	EDP No.
3700KS	130	78	Seath <i>ϕ</i> 4~16mm	10	014641
3700KM	130	78	Seath <i>ф</i> 8∼28mm	10	014658

Contents: Replacement blade 1 piece (stored inside)

Package size···185×75×32mm

# One point

Easy to strip the wire sheath simply by turning the stripper aroung the cable.



### No. 3000 Wire Stripper

- ●Nimbly and cleanly strips off sheathing in a single operation.
- Can be used with wiring for TV, radio, home appliances,

electrical work, automotive circuits, telephones, etc.

With a strip gauge.



Model No.	Overall length (mm)	Weight (g)	Wire diameter and nominal sectional area	Handle color	Outer Ctn.	EDP No.
3000A	170	350	For solid wire 0.5/1.2/1.6/2.0mm		20	141001
3000B	170	350	For solid wire 1.0/1.6/2.0/2.6/3.2mm	Red	20	141002
3000C	170	350	For stranded wire 0.9/1.25/2.0/3.5/5.5mm	Black	20	141000

Package size---220×75×13mm

## Wire Stripper Cardbord product

Model No.	Wire diameter and nominal sectional area	Package size (mm)	Outer Ctn.	EDP No.
300001	For solid wire 0.5/1.2/1.6/2.0mm	250×110×38	5	241001
300002	For solid wire 1.0/1.6/2.0/2.6/3.2mm	250×110×38	5	241002
300005	For stranded wire 0.9/1.25/2.0/3.5/5.5mm	250×110×38	5	241005

# Wire Stripper Blade

	Tric Scripper Blade									
Mo	odel No.	Applicable wire stripper	Wire diameter and nominal sectional area	Package size (mm)	Inner Ctn.	EDP No.				
W	/B-001	3000A, 300001	For solid wire	95×30×15	5	141071				
W	/B-002	3000B, 300002	For solid wire	95×30×15	5	141072				
W	/B-003	3000C, 300005	For stranded wire	95×30×15	5	141073				

# One point

### Features of wire strippers

### 3200VA-1



Wire strippers dedicated for VA cables and eco-friendly PE cables (VVF/EM-EEF)

For solid wire 1.6mm×2/3duplex/triplex For solid wire 2.0mm×2/3duplex/triplex

### 3000



For stripping of various wires and cords including IV and VSF Solid wires: 0.5mm to 3.2mm Stranded wire: 0.9mm to 5.5mm

### 3500E-1/3500E-2/3500E-3/3500E-4



For cutting and stripping of various electronic wires represented by KV For solid wire  $0.25\text{mm}\sim2.0\text{mm}$  For stranded wire  $0.05\text{mm}^2\sim3.3\text{mm}^2$ 

### 3700KS/3700KM



For stripping various cable sheaths such as cabtyre cable. Sheath outer dia. 4mm~16mm (3700KS) 8mm~28mm (3700KM)

# No. 3500E-1/-2 Wire Stripper

**VESSEL** 



Model No.	Overall length (mm)	Weight (g)	Col	or	Inner Ctn.	Out Ctr		EDP	No.
3500E-1	155	100	Re	d	5	30	)	141	036
3500E-2	155	100	Yell	WC	5	30	)	141	037
Package size···220×75×13mm									
	AWG		12	14	16	18	20	22	24
3500E-1	Solid wire	Solid wire(mm)		1.6	1.3	1.0	0.8	0.65	0.5
	Stranded	wire(mm)	3.3	2.0	1.3	0.8	0.5	0.3	0.2
	AWG		18	20	22	24	26	28	30
3500E-2	Solid wire	⊇(mm)	1.0	0.8	0.65	0.5	0.4	0.3	0.25
	Stranded	wire(mm)	0.8	0.5	0.3	0.2	0.13	0.08	0.05

# No. 3500E-3/-4 Wire Stripper

- ●True circle shape. No damage on wires.
- ●Different colors adopted for instant awareness of holding position.
- Thread cutters for small screws or bolts.
- Anti-drop cord can be attached.
- •AWG-mm-mm2 conversion table on the cushion grip.






Model No.	Overall length (mm)	Weight (g)	Color	Inner Ctn.	Outer Ctn.	EDP No.
3500E-3	163	107	Red Black	5	30	141013
3500E-4	163	107	Yellow Black	5	30	141014
				Cá	ardboard size	e: 220x75x13mm

	AWG	12	14	16	18	20	22	24
3500E-3	Solid wire(mm)	2.0	1.6	1.3	1.0	0.8	0.65	0.5
	Stranded wire (mm²)	3.3	2.0	1.3	0.8	0.5	0.3	0.2
	AWG	18	20	22	24	26	28	30
3500E-4	Solid wire(mm)	1.0	0.8	0.65	0.5	0.4	0.3	0.25
	Stranded wire (mm)	0.8	0.5	0.3	0.2	0.13	0.08	0.05

<sup>\*</sup> Some Teflon wires are not suitable.



### No. DB-200 Bucket for Electricians

Convenient for collecting wire scraps and carrying tools and instruments.

Belt length can be adjusted. • Elliptical shape to fit comfortably.



Size with header (mm)	Outer Ctn.	EDP No.
H280 × W200 × D125	1	141034



# No. 76-10 Gel Grip Hammer (Plastic Head)


- •Gel resin grip drastically absorbs the shocks by hammer blows to your palm. Alleviates the strain on your wrist.
- •Slip resistance grip design of elastomer resin.
- Excellent balance between both heads, ensuring firm feeling of hammering.
- Hammer heads are screwed on and replaced easily. Replacement head is available as option.



Model No.	Size	Longth				Inner Outer		FDP No.	
		Length	Diameter	Length (mm)	(g)	Ctn.	Ctn.	LDF NO.	
76-10	1	315	32	120	430	6	60	142082	

### Replacement Head for No.76 (Plastic Head)

icpiace	teptacement ricad for rion o (riable ricad)									
Model No.	Set content	Package size (mm)	Inner Outer Ctn. Ctn.	EDP No.						
<b>076110</b> Card Product	1Lb×2pcs	170×60×35	- 5	242024						
<b>76-10H</b> Boxed	1Lb	130×155×35	20 400	142131						
× Apply hamn	oor Gol Grip Ha	mmor No 76 10 l	Vo 77 10							



# No. 77-10 Gel Grip Hammer (Rubber/Plastic Head)

- •Gel resin grip drastically absorbs the shocks by hammer blows to your palm. Alleviates the strain on your wrist.
- Slip resistance grip design of elastomer resin.
- ●Excellent balance between both heads, ensuring firm feeling of hammering.
- Hammer heads are screwed on and replaced easily. Replacement head is available as option.
- The hammer heads are screwed on and replaced easily. Rubber head is available as option. Rubber head is of light gray color, which does not cause color staining to the object.



Model No.	Size	Length	He		Weight	Inner		EDP No.
Model No.	J.EC	Ec. Berr	Diameter	Length (mm)	(g)	Ctn. Ctn.		
77-10	1	315	32	120	430	6	60	142091

### Replacement Head for No.77 (Rubber Head)

Model No.	Set content	Package size (mm)	Inner C Ctn.	Outer Ctn.	EDP No.
<b>077110</b> Card Product	1Lb×2pcs	170×60×35	-	5	242021
<b>77-10H</b> Boxed	1Lb	130×155×35	20 4	400	142121



# No. 70 Plastic Head Hammer

- ●Soft durable plastic head. Does not damage workpieces.
- Replacement head ia available as option in a box.
- ●Replacement head of 1/2, 1 and 1 1/2 sizes is also available in 2-pc pre-carded package.



Size	Longth		Head		Inner	Outer	er EDP No.
Size	Length	Diameter	Length (	(mm)	Ctn.	Ctn.	LDF NO.
1/4	280	19.5	66.5		6	60	142001
1/2	280	25	82		6	60	142002
1	295	31.3	108		6	60	142003
1 1/2	325	37.6	125.5		6	36	142004
2	350	45.4	139		6	24	142005

Handles are not separately sold.

### Replacement head for No.70

Model No.	Set content	Package size (mm)	Inner Outer Ctn. Ctn.	EDP No.
Head 70×1/4	1/4	85×102×20	20 –	142011
Head 70×1/2	1/2	110×132×27	20 400	142012
Head 70×1	1	130×155×35	20 400	142013
Head 70×1 1/2	1 1/2	80×185×42	10 400	142014
Head 70×2	2	100×225×48	10 400	142015

### Replacement head for No.70 Cardbord Products

Model No.	Set content	Package size (mm)	Outer Ctn.	EDP No.
070105	1/2×2pcs	170×60×26	5	242012
070110	1×2pcs	170×60×35	5	242013
070115	1 1/2×2pcst	210×75×41	5	242014



- ⚠ WARNING concerning Hammers
- ●Strike target directly. Do not hit at an angle, etc. ●Do not strike anywhere but the target area.



\*Apply hammer Gel Grip Hammer No.77-10

Cannot be used for plastic hammer No.70-1.

# No. RG-95 Ratchet Rivet Gun



- Can calk blind rivets easily with one hand.
- Easily calks 4.8 mm steel rivets that were difficult to use with existing manual riveters.



	Set content	
Body	overall length 230mm weight 570g	
Accessories	Nose piece 2.4, 3.2, 4.0, 4.8mm	(,)
	Nose piece wrench A/F10mm	

Package size (mm)	Outer Ctn.	EDP No.
350×140×30	5	621310

### No. ZW-3/ZW-4 Thread Thru Stud Wrench

- •Works with continuous thread studs, cut bolts and hanger bolts.
- ●Can be used 2 ways: Straight for tightening, or bent for fast turning.
- ●Can be used from halfway point with long hanger bolts.
- •Lightweight, compact and easy to carry.




## No. 8 Thread File

- ullet Quickly restores threads of tooling machines, automobiles, etc.
- •1 tool can be used with 8 different thread pitches.




Set content		Package size	Outer	EDD N.
Pitch	0.75 / 1.00 / 1.25 / 1.50	(mm)	Ctn.	EDP No.
(mm)	1.75 / 2.00 / 2.50 / 3.00	270×75×12	10	621111

## No. 5700WP Water Faucet Screwdriver



# No. 5700BD Car Battery Screwdriver



# One point

# Features of special tools



# Ratchet Rivet Gun Allows you to caulk blind rivets easily with one hand



### Thread File

For restoring of screw threads One file can be used for eight different thread pitches.



Thread Thru Stud Wrench
Dedicated for installing a
full-thread bolt
It can be bent to turn a bolt
quickly.



Water Faucet Screwdriver Used for tightening and loosening of a water shut-off valve, flow-regulating valve, or check valve



Car Battery Screwdriver
It is a combination of a spanner
with width across flats of 10mm
for car battery removal and a
coin-shaped drive tip.