



## MATERIAL FACT SHEET

### 166305 GT15-75QBUSL

#### General Data

Product Hierarchy	IAT93002
	HMI
	Large HMI
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	B (Limited Availability from Stock)

e-shop: [https://mitsubishi-electric-eshop.mee.com/mee/FA\\_IA/EUR/en/p/000000000000166305](https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/000000000000166305)

#### FA-HMI: Interface Card

Series	GOT2000 SERIES
Type	Q-BUS CONNECTION UNIT

#### Product Dimensions & Weight

Width (mm)	137
Height (mm)	102
Depth (mm)	17,5
Weight (kg)	0,13

#### Logistic Dimensions & Gross Weight

Length (cm)	17,0
Width (cm)	15,0
Height (cm)	7,0
Gross Weight (kg)	0,200
Volume (cdm)	1,785

#### Stock Data

Planned Delivery Time (Days)	51
------------------------------	----

#### Life Cycle

Sales Start	23.11.2005
Predecessor	No Predecessor

#### Additional Product Information

Battery included	NO
Forecast Breakdown	HMI OLD SERIES

#### Export Data

Commodity Code	85389099
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

#### Environmental

REACH Limit Exceeded	YES
REACH Substance CAS Number	<a href="#">7439-92-1</a>
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

#### Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	COMPLIANT
Shipping Approvals	ABS,BV,DNV,GL,LR,NK,RINA

UKCA	COMPLIANT
------	-----------

### Documentation & Media Data

Manual URL Indicator	<a href="https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=bltdae25c2bd5f2f94&amp;q=GT15-75QBUSL&amp;doc-lang=en">https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=bltdae25c2bd5f2f94&amp;q=GT15-75QBUSL&amp;doc-lang=en</a>
Certificates URL Indicator	<a href="https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=blt8050dd1408c11cc2&amp;q=GT15-75QBUSL&amp;doc-lang=en">https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=blt8050dd1408c11cc2&amp;q=GT15-75QBUSL&amp;doc-lang=en</a>
CAD URL Indicator	<a href="https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=blt26ecc97a31a841c1&amp;q=GT15-75QBUSL&amp;doc-lang=en">https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=blt26ecc97a31a841c1&amp;q=GT15-75QBUSL&amp;doc-lang=en</a>

### Product Packaging

Cardboard (g)	55
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	18
Wood (g)	0
Glass (g)	0
Others (g)	0



## MATERIAL FACT SHEET

### 166306 GT15-75QBUS2L

#### General Data

Product Hierarchy	IAT93002
	HMI
	Large HMI
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	C (Non-Stock Material / Make-to-Order)

e-shop: [https://mitsubishi-electric-eshop.mee.com/mee/FA\\_IA/EUR/en/p/000000000000166306](https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/000000000000166306)

#### FA-HMI: Interface Card

Series	GOT2000 SERIES
Type	Q-BUS CONNECTION UNIT

#### Product Dimensions & Weight

Width (mm)	137
Height (mm)	102
Depth (mm)	17,5
Weight (kg)	0,14

#### Logistic Dimensions & Gross Weight

Length (cm)	17,0
Width (cm)	15,0
Height (cm)	7,0
Gross Weight (kg)	0,160
Volume (cdm)	1,785

#### Stock Data

Planned Delivery Time (Days)	72
------------------------------	----

#### Life Cycle

Sales Start	23.11.2005
Predecessor	No Predecessor

#### Additional Product Information

Battery included	NO
Forecast Breakdown	HMI OLD SERIES

#### Export Data

Commodity Code	85389099
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

#### Environmental

REACH Limit Exceeded	YES
REACH Substance CAS Number	<a href="#">7439-92-1</a>
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

#### Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	COMPLIANT
Shipping Approvals	ABS,BV,DNV,GL,LR,NK,RINA

UKCA	COMPLIANT
------	-----------

### Documentation & Media Data

Manual URL Indicator	<a href="https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=bltdae25c2bd5f2ff94&amp;q=GT15-75QBUS2L&amp;doc-lang=en">https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=bltdae25c2bd5f2ff94&amp;q=GT15-75QBUS2L&amp;doc-lang=en</a>
Certificates URL Indicator	<a href="https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=blt8050dd1408c11cc2&amp;q=GT15-75QBUS2L&amp;doc-lang=en">https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=blt8050dd1408c11cc2&amp;q=GT15-75QBUS2L&amp;doc-lang=en</a>
CAD URL Indicator	<a href="https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=blt26ecc97a31a841c1&amp;q=GT15-75QBUS2L&amp;doc-lang=en">https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=blt26ecc97a31a841c1&amp;q=GT15-75QBUS2L&amp;doc-lang=en</a>

### Product Packaging

Cardboard (g)	55
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	18
Wood (g)	0
Glass (g)	0
Others (g)	0



## MATERIAL FACT SHEET

### 169465 GT15-QBUS

#### General Data

Product Hierarchy	IAT93002
	HMI
	Large HMI
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	C (Non-Stock Material / Make-to-Order)

e-shop: [https://mitsubishi-electric-eshop.mee.com/mee/FA\\_IA/EUR/en/p/000000000000169465](https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/000000000000169465)

#### FA-HMI: Interface Card

Series	GOT2000 SERIES
Type	Q-BUS CONNECTION UNIT

#### Product Dimensions & Weight

Width (mm)	63
Height (mm)	107
Depth (mm)	30,5
Weight (kg)	0,13

#### Logistic Dimensions & Gross Weight

Length (cm)	17,0
Width (cm)	15,0
Height (cm)	7,0
Gross Weight (kg)	0,190
Volume (cdm)	1,785

#### Stock Data

Planned Delivery Time (Days)	86
------------------------------	----

#### Life Cycle

Sales Start	14.05.2006
Predecessor	No Predecessor

#### Additional Product Information

Battery included	NO
Forecast Breakdown	HMI OLD SERIES

#### Export Data

Commodity Code	85389099
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

#### Environmental

REACH Limit Exceeded	YES
REACH Substance CAS Number	<a href="#">1303-86-2</a>
REACH Substance CAS Number (2)	<a href="#">7439-92-1</a>
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

#### Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	COMPLIANT

Shipping Approvals	ABS,BV,DNV,GL,LR,NK,RINA
UKCA	COMPLIANT

### Documentation & Media Data

Manual URL Indicator	<a href="https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=bltdae25c2bd5f2ff94&amp;q=GT15-QBUS&amp;doc-lang=en">https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=bltdae25c2bd5f2ff94&amp;q=GT15-QBUS&amp;doc-lang=en</a>
Certificates URL Indicator	<a href="https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=blt8050dd1408c11cc2&amp;q=GT15-QBUS&amp;doc-lang=en">https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=blt8050dd1408c11cc2&amp;q=GT15-QBUS&amp;doc-lang=en</a>
CAD URL Indicator	<a href="https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=blt26ecc97a31a841c1&amp;q=GT15-QBUS&amp;doc-lang=en">https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=blt26ecc97a31a841c1&amp;q=GT15-QBUS&amp;doc-lang=en</a>

### Product Packaging

Cardboard (g)	55
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	18
Wood (g)	0
Glass (g)	0
Others (g)	0



## MATERIAL FACT SHEET

### 169466 GT15-QBUS2

#### General Data

Product Hierarchy	IAT93002
	HMI
	Large HMI
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	C (Non-Stock Material / Make-to-Order)

e-shop: [https://mitsubishi-electric-eshop.mee.com/mee/FA\\_IA/EUR/en/p/000000000000169466](https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/000000000000169466)

#### FA-HMI: Interface Card

Series	GOT2000 SERIES
Type	Q-BUS CONNECTION UNIT

#### Product Dimensions & Weight

Width (mm)	133
Height (mm)	107
Depth (mm)	30,5
Weight (kg)	0,14

#### Logistic Dimensions & Gross Weight

Length (cm)	17,0
Width (cm)	15,0
Height (cm)	7,0
Gross Weight (kg)	0,244
Volume (cdm)	1,785

#### Stock Data

Planned Delivery Time (Days)	72
------------------------------	----

#### Life Cycle

Sales Start	14.05.2006
Predecessor	No Predecessor

#### Additional Product Information

Battery included	NO
Forecast Breakdown	HMI OLD SERIES

#### Export Data

Commodity Code	85389099
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

#### Environmental

REACH Limit Exceeded	YES
REACH Substance CAS Number	<a href="#">7439-92-1</a>
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

#### Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	COMPLIANT
Shipping Approvals	ABS,BV,DNV,GL,LR,NK,RINA

UKCA	COMPLIANT
------	-----------

### Documentation & Media Data

Manual URL Indicator	<a href="https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=bltdae25c2bd5f2ff94&amp;q=GT15-QBUS2&amp;doc-lang=en">https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=bltdae25c2bd5f2ff94&amp;q=GT15-QBUS2&amp;doc-lang=en</a>
Certificates URL Indicator	<a href="https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=blt8050dd1408c11cc2&amp;q=GT15-QBUS2&amp;doc-lang=en">https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=blt8050dd1408c11cc2&amp;q=GT15-QBUS2&amp;doc-lang=en</a>
CAD URL Indicator	<a href="https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=blt26ecc97a31a841c1&amp;q=GT15-QBUS2&amp;doc-lang=en">https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=blt26ecc97a31a841c1&amp;q=GT15-QBUS2&amp;doc-lang=en</a>

### Product Packaging

Cardboard (g)	55
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	18
Wood (g)	0
Glass (g)	0
Others (g)	0