


●もっとも広い用途で使用される汎用のロングドリルです。

This is general HSS long drills for deep holes.



新商品

LIST 550

オーダ方法 **LSD** 直径 × 全長 (□商品: LSD 直径 × 全長 × 溝長)

単位 (Unit) : mm

ハイスドリル

タップ

超硬
エンドミル

ハイス
エンドミル

切断工具

パック・
セット商品
その他

精密工具

技術資料
索引

直径 Dc	全長 L	溝長 ℓ	在庫 Stock	参考価格 (円) Price (¥)	直径 Dc	全長 L	溝長 ℓ	在庫 Stock	参考価格 (円) Price (¥)	直径 Dc	全長 L	溝長 ℓ	在庫 Stock	参考価格 (円) Price (¥)
1.0	75	35	●	1,060	1.7	100	40	●	1,140	2.3	300	120	□	-
1.0	75	40	□	-	1.7	100	50	-	-	2.35	100	50	□	-
1.0	100	40	●	1,270	1.7	125	55	-	-	2.35	150	80	-	-
1.0	100	50	-	-	1.7	150	60	-	-	2.4	100	40	●	1,070
1.0	125	50	-	-	1.7	200	80	□	-	2.4	100	50	-	-
1.0	150	60	-	-	1.7	250	100	-	-	2.4	125	65	□	-
1.0	200	75	□	-	1.75	100	50	-	-	2.4	150	60	●	1,290
1.05	100	50	-	-	1.75	150	60	-	-	2.4	150	75	-	-
1.05	150	60	-	-	1.8	75	35	●	889	2.4	200	80	-	-
1.1	75	35	●	1,130	1.8	75	40	□	-	2.4	250	100	□	-
1.1	75	40	□	-	1.8	100	40	●	1,140	2.4	300	120	-	-
1.1	100	40	●	1,370	1.8	100	50	-	-	2.45	100	50	-	-
1.1	100	50	-	-	1.8	125	55	-	-	2.45	150	80	-	-
1.1	125	50	-	-	1.8	150	60	-	-	2.5	100	50	●	974
1.1	150	60	-	-	1.8	200	80	□	-	2.5	125	65	□	-
1.1	200	75	□	-	1.8	250	100	-	-	2.5	150	60	●	1,170
1.15	100	50	-	-	1.85	100	50	-	-	2.5	150	75	-	-
1.15	150	60	-	-	1.85	150	60	-	-	2.5	200	80	□	-
1.2	75	35	●	1,040	1.9	75	35	●	889	2.5	200	100	●	1,480
1.2	75	40	□	-	1.9	75	40	□	-	2.5	250	100	-	-
1.2	100	40	●	1,260	1.9	100	40	●	1,140	2.5	300	120	-	-
1.2	100	50	-	-	1.9	100	50	-	-	2.55	100	60	□	-
1.2	125	50	-	-	1.9	125	55	-	-	2.55	150	80	-	-
1.2	150	60	-	-	1.9	150	60	-	-	2.6	100	50	●	1,140
1.2	200	75	□	-	1.9	200	80	-	-	2.6	100	60	□	-
1.25	100	50	-	-	1.9	250	100	□	-	2.6	125	70	-	-
1.25	150	60	-	-	1.95	100	50	-	-	2.6	150	75	●	1,400
1.3	75	35	●	974	1.95	150	60	-	-	2.6	150	80	□	-
1.3	75	40	□	-	2.0	75	40	-	-	2.6	200	100	●	1,750
1.3	100	40	●	1,250	2.0	100	40	●	964	2.6	200	105	-	-
1.3	100	50	-	-	2.0	100	50	□	-	2.6	250	110	-	-
1.3	125	50	-	-	2.0	125	65	-	-	2.6	300	120	□	-
1.3	150	60	-	-	2.0	150	60	●	1,170	2.65	100	60	-	-
1.3	200	75	□	-	2.0	150	75	-	-	2.65	150	80	-	-
1.35	100	50	-	-	2.0	200	80	-	-	2.7	100	50	●	1,140
1.35	150	60	-	-	2.0	250	100	-	-	2.7	100	60	□	-
1.4	75	35	●	953	2.0	300	120	□	-	2.7	125	70	-	-
1.4	75	40	□	-	2.05	100	50	-	-	2.7	150	75	●	1,400
1.4	100	40	●	1,240	2.05	150	80	-	-	2.7	150	80	□	-
1.4	100	50	-	-	2.1	100	40	●	1,070	2.7	200	100	●	1,750
1.4	125	50	-	-	2.1	100	50	□	-	2.7	200	105	-	-
1.4	150	60	-	-	2.1	125	65	-	-	2.7	250	110	-	-
1.4	200	75	□	-	2.1	150	60	●	1,290	2.7	300	120	□	-
1.45	100	50	-	-	2.1	150	75	-	-	2.75	100	60	-	-
1.45	150	60	-	-	2.1	200	80	-	-	2.75	150	80	-	-
1.5	75	35	●	834	2.1	250	100	□	-	2.8	100	50	●	1,140
1.5	75	40	□	-	2.1	300	120	-	-	2.8	100	60	-	-
1.5	100	40	●	1,060	2.15	100	50	-	-	2.8	125	70	□	-
1.5	100	50	-	-	2.15	150	80	-	-	2.8	150	75	●	1,400
1.5	125	50	-	-	2.2	100	40	●	1,070	2.8	150	80	□	-
1.5	150	60	-	-	2.2	100	50	□	-	2.8	200	100	●	1,750
1.5	200	75	□	-	2.2	125	65	-	-	2.8	200	105	-	-
1.55	100	50	-	-	2.2	150	60	●	1,290	2.8	250	110	-	-
1.55	150	60	-	-	2.2	150	75	-	-	2.8	300	120	□	-
1.6	75	35	●	889	2.2	200	80	-	-	2.85	100	60	-	-
1.6	75	40	□	-	2.2	250	100	-	-	2.85	150	80	-	-
1.6	100	40	●	1,140	2.2	300	120	□	-	2.9	100	50	●	1,140
1.6	100	50	-	-	2.25	100	50	-	-	2.9	100	60	□	-
1.6	125	55	-	-	2.25	150	80	-	-	2.9	125	70	-	-
1.6	150	60	-	-	2.3	100	40	●	1,070	2.9	150	75	●	1,400
1.6	200	80	□	-	2.3	100	50	□	-	2.9	150	80	□	-
1.6	250	100	-	-	2.3	125	65	-	-	2.9	200	100	●	1,750
1.65	100	50	-	-	2.3	150	60	●	1,290	2.9	200	105	-	-
1.65	150	60	-	-	2.3	150	75	-	-	2.9	250	110	-	-
1.7	75	35	●	889	2.3	200	80	□	-	2.9	300	120	□	-
1.7	75	40	□	-	2.3	250	100	-	-	2.95	100	60	-	-

一般 構造用鋼	炭素鋼	合金鋼 調質鋼	ダイス鋼 プレハードン鋼	高硬度鋼	
SS400	S45C S50C	SCM NAK	30~40 HRC	40~50 HRC	50~65HRC
○	○	○	—	×	×
ステンレス鋼		Ti 合金 耐熱合金	鑄鉄	アルミ合金	銅合金
SUS304 SUS316	SUS420	Ti / Ni Alloy	FC / FCD	AC / ADC	Cu
—	—	—	○	○	○

◎:最適 Excellent ○:適用 Good ×:不適 Not Used —:推奨しません Not recommended

単位 (Unit) : mm

直径 Dc	全長 L	溝長 ℓ	在庫 Stock	参考価格(円) Price (¥)
2.95	150	80	□	—
3.0	100	50	●	1,040
3.0	100	60	□	—
3.0	125	70	□	—
3.0	150	75	●	1,280
3.0	150	80	□	—
3.0	200	100	●	1,610
3.0	200	105	—	—
3.0	250	110	—	—
3.0	300	120	—	—
3.0	350	125	—	—
3.0	400	130	—	—
3.0	500	140	□	—
3.05	100	60	—	—
3.05	150	85	—	—
3.1	100	60	—	—
3.1	125	70	—	—
3.1	150	75	●	1,480
3.1	150	85	□	—
3.1	200	100	●	1,810
3.1	200	110	—	—
3.1	250	120	—	—
3.1	300	130	—	—
3.15	100	60	□	—
3.15	150	85	—	—
3.2	100	60	—	—
3.2	125	70	—	—
3.2	150	75	●	1,480
3.2	150	85	□	—
3.2	200	100	●	1,810
3.2	200	110	—	—
3.2	250	120	—	—
3.2	300	130	—	—
3.25	100	60	□	—
3.25	150	85	—	—
3.3	100	60	—	—
3.3	125	70	—	—
3.3	150	75	●	1,480
3.3	150	85	□	—
3.3	200	100	●	1,810
3.3	200	110	—	—
3.3	250	120	—	—
3.3	300	130	—	—
3.35	100	60	□	—
3.35	150	85	—	—
3.4	100	60	—	—
3.4	125	70	—	—
3.4	150	75	●	1,480
3.4	150	85	□	—
3.4	200	100	●	1,810
3.4	200	110	—	—
3.4	250	120	—	—
3.4	300	130	—	—
3.45	100	60	□	—
3.45	150	80	—	—
3.5	100	60	—	—
3.5	125	70	—	—
3.5	150	75	—	1,360
3.5	150	85	□	—
3.5	200	100	●	1,650
3.5	200	110	—	—
3.5	250	120	—	—
3.5	300	130	□	—
3.5	350	145	—	—
3.5	400	160	—	—
3.5	500	190	—	—

直径 Dc	全長 L	溝長 ℓ	在庫 Stock	参考価格(円) Price (¥)
3.5	600	220	—	—
3.55	125	75	—	—
3.55	200	120	□	—
3.6	100	60	—	—
3.6	125	75	—	—
3.6	150	75	●	1,650
3.6	150	90	□	—
3.6	200	100	●	2,000
3.6	200	120	□	—
3.6	250	120	●	2,290
3.6	250	130	□	—
3.6	300	120	●	2,710
3.6	300	150	—	—
3.6	350	165	—	—
3.6	400	180	—	—
3.6	500	220	□	—
3.65	125	75	—	—
3.65	200	120	—	—
3.7	100	60	—	—
3.7	125	75	—	—
3.7	150	75	●	1,650
3.7	150	90	□	—
3.7	200	100	●	2,000
3.7	200	120	□	—
3.7	250	120	●	2,290
3.7	250	130	□	—
3.7	300	120	●	2,710
3.7	300	150	—	—
3.7	350	165	—	—
3.7	400	180	—	—
3.7	500	220	□	—
3.75	125	75	—	—
3.75	200	120	—	—
3.8	100	60	—	—
3.8	125	75	—	—
3.8	150	75	●	1,650
3.8	150	90	□	—
3.8	200	100	●	2,000
3.8	200	120	□	—
3.8	250	120	●	2,290
3.8	250	130	□	—
3.8	300	120	●	2,710
3.8	300	150	—	—
3.8	350	165	—	—
3.8	400	180	—	—
3.8	500	220	□	—
3.85	125	75	—	—
3.85	200	120	—	—
3.9	100	60	—	—
3.9	125	75	—	—
3.9	150	75	●	1,650
3.9	150	90	□	—
3.9	200	100	●	2,000
3.9	200	120	□	—
3.9	250	120	●	2,290
3.9	250	130	□	—
3.9	300	120	●	2,710
3.9	300	150	—	—
3.9	350	165	—	—
3.9	400	180	—	—
3.9	500	220	□	—
3.95	125	75	—	—
3.95	200	120	—	—
4.0	100	60	—	—
4.0	125	75	—	—
4.0	150	75	●	1,510

直径 Dc	全長 L	溝長 ℓ	在庫 Stock	参考価格(円) Price (¥)
4.0	150	90	□	—
4.0	200	100	●	1,810
4.0	200	120	□	—
4.0	250	120	●	2,110
4.0	250	130	□	—
4.0	300	120	●	2,480
4.0	300	150	—	—
4.0	350	165	—	—
4.0	400	180	—	—
4.0	450	200	—	—
4.0	500	220	—	—
4.0	600	250	□	—
4.0	700	300	—	—
4.05	125	75	—	—
4.05	200	120	—	—
4.1	100	60	—	—
4.1	125	75	—	—
4.1	150	75	●	1,830
4.1	150	90	□	—
4.1	200	100	●	2,160
4.1	200	120	□	—
4.1	250	120	●	2,580
4.1	250	130	□	—
4.1	300	120	●	2,970
4.1	300	150	—	—
4.1	350	165	—	—
4.1	400	180	—	—
4.15	125	75	□	—
4.15	200	120	—	—
4.2	100	60	—	—
4.2	125	75	—	—
4.2	150	75	●	1,830
4.2	150	90	□	—
4.2	200	100	●	2,160
4.2	200	120	□	—
4.2	250	120	●	2,580
4.2	250	130	□	—
4.2	300	120	●	2,970
4.2	300	150	—	—
4.2	350	165	—	—
4.2	400	180	—	—
4.2	450	200	□	—
4.25	125	75	—	—
4.25	200	120	—	—
4.3	100	60	—	—
4.3	125	75	—	—
4.3	150	75	●	1,830
4.3	150	90	□	—
4.3	200	100	●	2,160
4.3	200	120	□	—
4.3	250	120	●	2,580
4.3	250	130	□	—
4.3	300	120	●	2,970
4.3	300	150	—	—
4.3	350	165	—	—
4.3	400	180	—	—
4.3	450	200	□	—
4.35	125	75	—	—
4.35	200	120	—	—
4.4	100	60	—	—
4.4	125	75	—	—
4.4	150	75	●	1,830
4.4	150	90	□	—
4.4	200	100	●	2,160
4.4	200	120	□	—
4.4	250	120	●	2,580

新商品

超硬ドリル

ハイスドリル

タップ

超硬
エンドミル

ハイス
エンドミル

切断工具

パイプ・
セット商品
その他

精密工具

技術資料
索引

← 前頁 Previous Page

単位 (Unit) : mm

	直径 Dc	全長 L	溝長 ℓ	在庫 Stock	参考価格 (円) Price (¥)	直径 Dc	全長 L	溝長 ℓ	在庫 Stock	参考価格 (円) Price (¥)	直径 Dc	全長 L	溝長 ℓ	在庫 Stock	参考価格 (円) Price (¥)	
新商品	4.4	250	130	□	-	4.9	200	100	●	2,350	5.3	350	180	□	-	
	4.4	300	120	●	2,970	4.9	200	125	□	-	5.3	400	150	●	7,970	
	4.4	300	150	□	-	4.9	250	120	□	2,860	5.3	400	200	□	-	
	4.4	350	165	□	-	4.9	250	140	□	-	5.3	450	220	□	-	
	4.4	400	180	□	-	4.9	300	130	□	3,370	5.3	500	230	□	-	
	4.45	125	75	□	-	4.9	300	160	□	-	5.3	600	270	□	-	
超硬ドリル	4.45	200	120	□	-	4.9	350	175	□	-	5.35	125	85	□	-	
	4.5	100	60	□	-	4.9	400	150	●	7,130	5.35	150	110	□	-	
	4.5	125	75	□	-	4.9	400	190	□	-	5.35	200	125	□	-	
	4.5	150	75	●	1,680	4.9	450	210	□	-	5.4	125	85	□	-	
	4.5	150	90	□	-	4.9	500	230	□	-	5.4	150	100	●	2,160	
	4.5	200	100	●	2,000	4.9	600	270	□	-	5.4	150	110	□	-	
	4.5	200	120	□	-	4.95	125	75	□	-	5.4	200	100	●	2,610	
	4.5	250	120	●	2,330	4.95	200	125	□	-	5.4	200	125	□	-	
	4.5	250	130	□	-	5.0	125	75	□	-	5.4	250	120	●	3,170	
	4.5	300	120	●	2,740	5.0	150	75	●	1,810	5.4	250	150	□	-	
ハイスドリル	4.5	300	150	□	-	5.0	150	100	□	-	5.4	300	130	●	3,700	
	4.5	350	165	□	-	5.0	200	100	●	2,110	5.4	300	170	□	-	
	4.5	400	180	□	-	5.0	200	125	□	-	5.4	350	180	□	-	
	4.5	450	200	□	-	5.0	250	120	●	2,580	5.4	400	150	●	7,970	
	4.5	500	220	□	-	5.0	250	140	□	-	5.4	400	200	□	-	
	4.5	600	260	□	-	5.0	300	130	●	3,040	5.4	450	220	□	-	
	4.5	700	300	□	-	5.0	300	160	□	-	5.4	500	230	□	-	
	4.55	125	75	□	-	5.0	350	175	□	-	5.4	600	270	□	-	
	4.55	200	120	□	-	5.0	400	150	●	6,410	5.45	125	85	□	-	
	タップ	4.6	125	75	□	-	5.0	400	190	□	-	5.45	150	110	□	-
4.6		150	75	●	2,030	5.0	450	210	□	-	5.45	200	125	□	-	
4.6		150	100	□	-	5.0	500	230	□	-	5.5	125	85	□	-	
4.6		200	100	●	2,350	5.0	600	270	□	-	5.5	150	100	●	1,930	
4.6		200	125	□	-	5.0	700	310	□	-	5.5	150	110	□	-	
4.6		250	120	●	2,860	5.0	800	350	□	-	5.5	200	100	●	2,330	
4.6		250	140	□	-	5.05	125	75	□	-	5.5	200	125	□	-	
4.6		300	130	●	3,370	5.05	150	110	□	-	5.5	250	120	●	2,820	
4.6		300	160	□	-	5.05	200	125	□	-	5.5	250	150	□	-	
4.6		350	175	□	-	5.1	125	85	□	-	5.5	300	130	●	3,300	
超硬 エンドミル	4.6	400	150	●	7,130	5.1	150	100	●	2,160	5.5	300	175	□	-	
	4.6	400	190	□	-	5.1	150	110	□	-	5.5	350	185	□	-	
	4.6	450	210	□	-	5.1	200	100	●	2,610	5.5	400	150	●	7,850	
	4.6	500	230	□	-	5.1	200	125	□	-	5.5	400	200	□	-	
	4.6	600	270	□	-	5.1	250	120	●	3,170	5.5	450	220	□	-	
	4.65	125	75	□	-	5.1	250	150	□	-	5.5	500	230	□	-	
	4.65	200	125	□	-	5.1	300	130	●	3,700	5.5	600	270	□	-	
	4.7	125	75	□	-	5.1	300	170	□	-	5.5	700	310	□	-	
	4.7	150	75	●	2,030	5.1	350	180	□	-	5.5	800	350	□	-	
	4.7	150	100	□	-	5.1	400	150	●	7,970	5.55	150	110	□	-	
ハイス エンドミル	4.7	200	100	●	2,350	5.1	400	200	□	-	5.55	250	150	□	-	
	4.7	200	125	□	-	5.1	450	220	□	-	5.6	125	85	□	-	
	4.7	250	120	●	2,860	5.1	500	230	□	-	5.6	150	100	●	2,290	
	4.7	250	140	□	-	5.1	600	270	□	-	5.6	150	110	□	-	
	4.7	300	130	●	3,370	5.15	125	85	□	-	5.6	200	100	●	2,860	
	4.7	300	160	□	-	5.15	150	110	□	-	5.6	200	125	□	-	
	4.7	350	175	□	-	5.15	200	125	□	-	5.6	250	120	●	3,460	
	4.7	400	150	●	7,130	5.2	125	85	□	-	5.6	250	150	□	-	
	4.7	400	190	□	-	5.2	150	100	●	2,160	5.6	300	150	●	4,050	
	4.7	450	210	□	-	5.2	150	110	□	-	5.6	300	175	□	-	
パック・セット商品 その他	4.7	500	230	□	-	5.2	200	100	●	2,610	5.6	350	185	□	-	
	4.7	600	270	□	-	5.2	200	125	□	-	5.6	400	180	●	8,760	
	4.75	125	75	□	-	5.2	250	120	●	3,170	5.6	400	200	□	-	
	4.75	200	125	□	-	5.2	250	150	□	-	5.6	450	225	□	-	
	4.8	125	75	□	-	5.2	300	130	●	3,700	5.6	500	180	●	11,400	
	4.8	150	75	●	2,030	5.2	300	170	□	-	5.6	500	250	□	-	
	4.8	150	100	□	-	5.2	350	180	□	-	5.6	600	300	□	-	
	4.8	200	100	●	2,350	5.2	400	150	●	7,970	5.65	150	110	□	-	
	4.8	200	125	□	-	5.2	400	200	□	-	5.65	250	150	□	-	
	4.8	250	120	●	2,860	5.2	450	220	□	-	5.7	125	85	□	-	
切断工具	4.8	250	140	□	-	5.2	500	230	□	-	5.7	150	100	●	2,290	
	4.8	300	130	●	3,370	5.2	600	270	□	-	5.7	150	110	□	-	
	4.8	300	160	□	-	5.25	125	85	□	-	5.7	200	100	●	2,860	
	4.8	350	175	□	-	5.25	150	110	□	-	5.7	200	125	□	-	
	4.8	400	150	●	7,130	5.25	200	125	□	-	5.7	250	120	●	3,460	
	4.8	400	190	□	-	5.3	125	85	□	-	5.7	250	150	□	-	
	4.8	450	210	□	-	5.3	150	100	●	2,160	5.7	300	150	□	-	
	4.8	500	230	□	-	5.3	150	110	□	-	5.7	300	175	□	-	
	4.8	600	270	□	-	5.3	200	100	●	2,610	5.7	350	185	□	-	
	4.85	125	75	□	-	5.3	200	125	□	-	5.7	400	180	●	8,760	
精密工具	4.85	200	125	□	-	5.3	250	120	●	3,170	5.7	400	200	□	-	
	4.9	125	75	□	-	5.3	250	150	□	-	5.7	450	225	□	-	
	4.9	150	75	●	2,030	5.3	300	130	●	3,700	5.7	500	180	●	11,400	
	4.9	150	100	□	-	5.3	300	170	□	-	5.7	500	250	□	-	
	技術資料 索引															

単位 (Unit) : mm

直径 Dc	全長 L	溝長 ℓ	在庫 Stock	参考価格(円) Price (¥)
5.7	600	300		-
5.75	150	110		-
5.75	250	150	□	-
5.8	125	85		-
5.8	150	100	●	2,290
5.8	150	110	□	-
5.8	200	100	●	2,860
5.8	200	125	□	-
5.8	250	120	●	3,460
5.8	250	150	□	-
5.8	300	150	●	4,050
5.8	300	175		-
5.8	350	185	□	-
5.8	400	180	●	8,760
5.8	400	200		-
5.8	450	225	□	-
5.8	500	180	●	11,400
5.8	500	250		-
5.8	600	300		-
5.85	150	110	□	-
5.85	250	150		-
5.9	125	85		-
5.9	150	100	●	2,290
5.9	150	110	□	-
5.9	200	100	●	2,860
5.9	200	125	□	-
5.9	250	120	●	3,460
5.9	250	150	□	-
5.9	300	150	●	4,050
5.9	300	175		-
5.9	350	185	□	-
5.9	400	180	●	8,760
5.9	400	200		-
5.9	450	225	□	-
5.9	500	180	●	11,400
5.9	500	250		-
5.9	600	300		-
5.95	150	110	□	-
5.95	250	150		-
6.0	125	90		-
6.0	150	100	●	2,070
6.0	150	110	□	-
6.0	200	100	●	2,580
6.0	200	125	□	-
6.0	250	120	●	3,080
6.0	250	150	□	-
6.0	300	150	●	3,630
6.0	300	175		-
6.0	350	185	□	-
6.0	400	180	●	8,130
6.0	400	200		-
6.0	450	225	□	-
6.0	500	180	●	11,000
6.0	500	250	□	-
6.0	600	200	●	15,600
6.0	600	300		-
6.0	700	350		-
6.0	800	400		-
6.05	150	110	□	-
6.05	250	150		-
6.1	125	90		-
6.1	150	100	●	2,600
6.1	150	110	□	-
6.1	200	100	●	3,250
6.1	200	125	□	-
6.1	250	120	●	3,890
6.1	250	150	□	-
6.1	300	150	●	4,480
6.1	300	175		-
6.1	350	185		-
6.1	400	200		-
6.1	450	225		-
6.1	500	250	□	-
6.1	600	300		-
6.15	150	110		-
6.15	250	150		-
6.2	125	90		-
6.2	150	100	●	2,600
6.2	150	110	□	-

直径 Dc	全長 L	溝長 ℓ	在庫 Stock	参考価格(円) Price (¥)
6.2	200	100	●	3,250
6.2	200	125	□	-
6.2	250	120	●	3,890
6.2	250	150	□	-
6.2	300	150	●	4,480
6.2	300	175		-
6.2	350	185		-
6.2	400	200		-
6.2	450	225		-
6.2	500	250	□	-
6.2	600	300		-
6.25	150	110		-
6.25	250	150		-
6.3	125	90		-
6.3	150	100	●	2,600
6.3	150	110	□	-
6.3	200	100	●	3,250
6.3	200	125	□	-
6.3	250	120	●	3,890
6.3	250	150	□	-
6.3	300	150	●	4,480
6.3	300	175		-
6.3	350	185		-
6.3	400	200		-
6.3	450	225		-
6.3	500	250	□	-
6.3	600	300		-
6.35	150	110		-
6.35	250	150		-
6.4	125	90		-
6.4	150	100	●	2,600
6.4	150	110	□	-
6.4	200	100	●	3,250
6.4	200	125	□	-
6.4	250	120	●	3,890
6.4	250	150	□	-
6.4	300	150	●	4,480
6.4	300	175		-
6.4	350	185		-
6.4	400	200		-
6.4	450	225		-
6.4	500	250	□	-
6.4	600	300		-
6.45	150	110		-
6.45	250	150		-
6.5	150	110		-
6.5	200	100	●	2,820
6.5	200	125	□	-
6.5	250	120	●	3,400
6.5	250	150	□	-
6.5	300	150	●	3,920
6.5	300	175		-
6.5	350	185		-
6.5	400	200	●	8,830
6.5	450	225	□	-
6.5	500	200	●	11,800
6.5	500	250	□	-
6.5	600	200	●	16,500
6.5	600	300		-
6.5	700	350		-
6.5	800	400		-
6.55	150	110	□	-
6.55	250	150		-
6.6	150	110		-
6.6	200	100	●	3,620
6.6	200	125	□	-
6.6	250	120	●	4,180
6.6	250	150	□	-
6.6	300	150	●	4,800
6.6	300	175		-
6.6	350	185		-
6.6	400	200		-
6.6	450	225		-
6.6	500	250	□	-
6.6	600	300		-
6.6	700	350		-
6.6	800	400		-
6.65	150	110		-
6.65	250	150		-

直径 Dc	全長 L	溝長 ℓ	在庫 Stock	参考価格(円) Price (¥)
6.7	150	110	□	-
6.7	200	100	●	3,620
6.7	200	125	□	-
6.7	250	120	●	4,180
6.7	250	150	□	-
6.7	300	150	●	4,800
6.7	300	175		-
6.7	350	185		-
6.7	400	200		-
6.7	450	225		-
6.7	500	250		-
6.7	600	300	□	-
6.7	700	350		-
6.7	800	400		-
6.75	150	110		-
6.75	250	150		-
6.8	150	110		-
6.8	200	100	●	3,620
6.8	200	125	□	-
6.8	250	120	●	4,180
6.8	250	150	□	-
6.8	300	150	●	4,800
6.8	300	175		-
6.8	350	185		-
6.8	400	200		-
6.8	450	225		-
6.8	500	250		-
6.8	600	300	□	-
6.8	700	350		-
6.8	800	400		-
6.85	150	110		-
6.85	250	150		-
6.9	150	110		-
6.9	200	100	●	3,620
6.9	200	125	□	-
6.9	250	120	●	4,180
6.9	250	150	□	-
6.9	300	150	●	4,800
6.9	300	175		-
6.9	350	185		-
6.9	400	200		-
6.9	450	225		-
6.9	500	250		-
6.9	600	300	□	-
6.9	700	350		-
6.9	800	400		-
6.95	150	110		-
6.95	250	150		-
7.0	150	110		-
7.0	200	100	●	3,150
7.0	200	125	□	-
7.0	250	120	●	3,660
7.0	250	150	□	-
7.0	300	150	●	4,180
7.0	300	175		-
7.0	350	185		-
7.0	400	200	●	8,880
7.0	450	225	□	-
7.0	500	200	●	12,500
7.0	500	250	□	-
7.0	600	200	●	16,900
7.0	600	300		-
7.0	700	350		-
7.0	800	400		-
7.05	150	110		-
7.05	250	150		-
7.1	150	110		-
7.1	200	100	●	3,920
7.1	200	125	□	-
7.1	250	120	●	4,530
7.1	250	150	□	-
7.1	300	150	●	5,190
7.1	300	175		-
7.1	350	185		-
7.1	400	200		-
7.1	450	225	□	-
7.1	500	250		-
7.1	600	300		-
7.1	700	350		-

新商品

超硬ドリル

ハイスドリル

タップ

超硬
エンドミル

ハイス
エンドミル

切断工具

パック・
セット商品
その他

精密工具

技術資料
索引

← 前頁 Previous Page

単位 (Unit) : mm

	直径 Dc	全長 L	溝長 ℓ	在庫 Stock	参考価格 (円) Price (¥)	直径 Dc	全長 L	溝長 ℓ	在庫 Stock	参考価格 (円) Price (¥)	直径 Dc	全長 L	溝長 ℓ	在庫 Stock	参考価格 (円) Price (¥)
	7.1	800	400		-	7.6	500	250		-	8.1	350	185		-
新商品	7.15	150	110		-	7.6	600	300		-	8.1	400	200		-
	7.15	250	150	□	-	7.6	700	350		-	8.1	450	250		-
	7.2	150	110		-	7.6	800	400	□	-	8.1	500	300		-
	7.2	200	100	●	3,920	7.65	150	110		-	8.1	600	350		-
	7.2	200	125	□	-	7.65	250	150		-	8.1	700	400	□	-
	7.2	250	120	●	4,530	7.7	150	110		-	8.1	800	450		-
	7.2	250	150	□	-	7.7	200	100	●	4,280	8.15	150	110		-
超硬ドリル	7.2	300	175	●	5,190	7.7	200	125	□	-	8.15	250	150		-
	7.2	300	175		-	7.7	250	120	●	4,840	8.2	150	110		-
	7.2	350	185		-	7.7	250	150	□	-	8.2	200	100	●	4,800
	7.2	400	200		-	7.7	300	175	●	5,650	8.2	200	125	□	-
	7.2	450	225		-	7.7	350	185		-	8.2	250	120	●	5,320
	7.2	500	250		-	7.7	400	200		-	8.2	250	150	□	-
	7.2	600	300	□	-	7.7	450	225		-	8.2	300	175	●	6,140
	7.2	700	350		-	7.7	500	250		-	8.2	350	185		-
ハイスドリル	7.2	800	400		-	7.7	600	300	□	-	8.2	400	200		-
	7.25	150	110		-	7.7	700	350		-	8.2	450	250		-
	7.25	250	150		-	7.7	800	400		-	8.2	500	300		-
	7.3	150	110		-	7.75	150	110		-	8.2	600	350	□	-
	7.3	200	100	●	3,920	7.75	250	150		-	8.2	700	400		-
	7.3	200	125	□	-	7.8	150	110		-	8.2	800	450		-
	7.3	250	120	●	4,530	7.8	200	100	●	4,280	8.25	150	110		-
	7.3	250	150	□	-	7.8	200	125	□	-	8.25	250	150		-
タップ	7.3	300	175	●	5,190	7.8	250	120	●	4,840	8.3	150	110		-
	7.3	300	175		-	7.8	250	150	□	-	8.3	200	100	●	4,800
	7.3	350	185		-	7.8	300	175		-	8.3	200	125	□	-
	7.3	400	200		-	7.8	350	185	●	5,650	8.3	250	120	●	5,320
	7.3	450	225		-	7.8	400	200		-	8.3	250	150	□	-
	7.3	500	250		-	7.8	450	225		-	8.3	300	175	●	6,140
	7.3	600	300	□	-	7.8	500	250		-	8.3	350	185		-
超硬 エンドミル	7.3	700	350		-	7.8	600	300	□	-	8.3	400	200		-
	7.3	800	400		-	7.8	700	350		-	8.3	450	250		-
	7.35	150	110		-	7.8	800	400		-	8.3	500	300		-
	7.35	250	150		-	7.85	150	110		-	8.3	600	350	□	-
	7.4	150	110		-	7.85	250	150		-	8.3	700	400		-
	7.4	200	100	●	3,920	7.9	150	110		-	8.3	800	450		-
	7.4	200	125	□	-	7.9	200	100	●	4,280	8.35	150	110		-
ハイス エンドミル	7.4	250	120	●	4,530	7.9	200	125	□	-	8.35	250	150		-
	7.4	250	150	□	-	7.9	250	120	●	4,840	8.4	150	110		-
	7.4	300	175	●	5,190	7.9	250	150	□	-	8.4	200	100	●	4,800
	7.4	350	185		-	7.9	300	175	●	5,650	8.4	200	125	□	-
	7.4	400	200		-	7.9	350	185		-	8.4	250	120	●	5,320
	7.4	450	225		-	7.9	400	200		-	8.4	250	150	□	-
切断工具	7.4	500	250		-	7.9	450	225		-	8.4	300	175	●	6,140
	7.4	600	300	□	-	7.9	500	250		-	8.4	350	185		-
	7.4	700	350		-	7.9	600	300	□	-	8.4	400	200		-
	7.4	800	400		-	7.9	700	350		-	8.4	450	250		-
	7.45	150	110		-	7.9	800	400		-	8.4	500	300		-
	7.45	250	150		-	7.95	150	110		-	8.4	600	350	□	-
	7.5	150	110		-	7.95	250	150		-	8.4	700	400		-
	7.5	200	100	●	3,460	8.0	150	110		-	8.4	800	450		-
パック・ セット商品 その他	7.5	200	125	□	-	8.0	200	100	●	3,760	8.45	150	110		-
	7.5	250	120	●	3,960	8.0	200	125	□	-	8.45	250	150		-
	7.5	300	150	●	4,550	8.0	250	120	●	4,280	8.5	150	110		-
	7.5	300	175	□	-	8.0	250	150	□	-	8.5	200	100	●	4,220
	7.5	350	185		-	8.0	300	175	●	4,970	8.5	200	125	□	-
精密工具	7.5	400	200	●	9,450	8.0	350	185		-	8.5	250	120	●	4,680
	7.5	450	225	□	-	8.0	400	200	●	9,450	8.5	250	150	□	-
	7.5	500	200	●	12,900	8.0	450	225	□	-	8.5	300	175	□	-
	7.5	500	250	□	-	8.0	500	200	●	13,900	8.5	350	185		-
	7.5	600	200	●	17,400	8.0	500	300	□	-	8.5	400	200	●	10,300
	7.5	600	300		-	8.0	600	200	●	17,800	8.5	450	250	□	-
	7.5	700	350		-	8.0	700	400		-	8.5	500	200	●	14,800
	7.5	800	400	□	-	8.0	800	450	□	-	8.5	500	300	□	-
技術資料 索引	7.55	150	110		-	8.05	150	110		-	8.5	600	200	●	18,200
	7.55	250	150		-	8.05	250	150		-	8.5	600	350		-
	7.6	150	110		-	8.1	150	110		-	8.5	700	400		-
	7.6	200	100	●	4,280	8.1	200	100	●	4,800	8.5	800	450	□	-
	7.6	200	125	□	-	8.1	200	125	□	-	8.55	150	110		-
	7.6	250	120	●	4,840	8.1	250	120	●	5,320	8.55	250	150		-
	7.6	250	150	□	-	8.1	250	150	□	-	8.6	150	110		-
	7.6	300	175	●	5,650	8.1	300	175	●	6,140	8.6	200	100	●	5,230
	7.6	300	175		-	8.1	300	175	□	-	8.6	200	125	□	-
	7.6	350	185		-						8.6	250	120	●	5,940
	7.6	400	200		-										
	7.6	450	225		-										

単位 (Unit) : mm

直径 Dc	全長 L	溝長 ℓ	在庫 Stock	参考価格(円) Price (¥)
8.6	250	150	□	-
8.6	300		●	6,700
8.6	300	175		-
8.6	350	185		-
8.6	400	200		-
8.6	450	250		-
8.6	500	300		-
8.6	600	350	□	-
8.6	700	400		-
8.6	800	450		-
8.65	150	110		-
8.65	250	150		-
8.7	150	110		-
8.7	200	100	●	5,230
8.7	200	125	□	-
8.7	250	120	●	5,940
8.7	250		□	-
8.7	300	150	●	6,700
8.7	300	175		-
8.7	350	185		-
8.7	400	200		-
8.7	450	250		-
8.7	500	300		-
8.7	600	350	□	-
8.7	700	400		-
8.7	800	450		-
8.75	150	110		-
8.75	250	150		-
8.8	150	110		-
8.8	200	100	●	5,230
8.8	200	125	□	-
8.8	250	120	●	5,940
8.8	250		□	-
8.8	300	150	●	6,700
8.8	300	175		-
8.8	350	185		-
8.8	400	200		-
8.8	450	250		-
8.8	500	300		-
8.8	600	350	□	-
8.8	700	400		-
8.8	800	450		-
8.85	150	110		-
8.85	250	150		-
8.9	150	110		-
8.9	200	100	●	5,230
8.9	200	125	□	-
8.9	250	120	●	5,940
8.9	250		□	-
8.9	300	150	●	6,700
8.9	300	175		-
8.9	350	185		-
8.9	400	200		-
8.9	450	250		-
8.9	500	300		-
8.9	600	350	□	-
8.9	700	400		-
8.9	800	450		-
8.95	150	110		-
8.95	250	150		-
9.0	150	110		-
9.0	200	100	●	4,560
9.0	200	125	□	-
9.0	250	120	●	5,230
9.0	250		□	-
9.0	300	150	●	5,830
9.0	300	175	□	-
9.0	350	185		-
9.0	400	200	●	10,400
9.0	450	250	□	-
9.0	500	200	●	16,100
9.0	500	300	□	-
9.0	600	200	●	21,900
9.0	600	350		-
9.0	700	400		-
9.0	800	450	□	-
9.05	200	125		-
9.05	300	175		-
9.1	150	110		-

直径 Dc	全長 L	溝長 ℓ	在庫 Stock	参考価格(円) Price (¥)
9.1	200	100	●	5,600
9.1	200	125	□	-
9.1	250	120	●	6,290
9.1	250		□	-
9.1	300	150	●	7,240
9.1	300	175		-
9.1	350	185		-
9.1	400	200		-
9.1	450	250		-
9.1	500	300		-
9.1	600	350	□	-
9.1	700	400		-
9.1	800	450		-
9.15	200	125		-
9.15	300	175		-
9.2	150	110		-
9.2	200	100	●	5,600
9.2	200	125	□	-
9.2	250	120	●	6,290
9.2	250		□	-
9.2	300	150	●	7,240
9.2	300	175		-
9.2	350	185		-
9.2	400	200		-
9.2	450	250		-
9.2	500	300		-
9.2	600	350	□	-
9.2	700	400		-
9.2	800	450		-
9.25	200	125		-
9.25	300	175		-
9.3	150	110		-
9.3	200	100	●	5,600
9.3	200	125	□	-
9.3	250	120	●	6,290
9.3	250		□	-
9.3	300	150	●	7,240
9.3	300	175		-
9.3	350	185		-
9.3	400	200		-
9.3	450	250		-
9.3	500	300		-
9.3	600	350	□	-
9.3	700	400		-
9.3	800	450		-
9.35	200	125		-
9.35	300	175		-
9.4	150	110		-
9.4	200	100	●	5,600
9.4	200	125	□	-
9.4	250	120	●	6,290
9.4	250		□	-
9.4	300	150	●	7,240
9.4	300	175		-
9.4	350	185		-
9.4	400	200		-
9.4	450	250		-
9.4	500	300		-
9.4	600	350	□	-
9.4	700	400		-
9.4	800	450		-
9.45	200	125		-
9.45	300	175		-
9.5	150	110		-
9.5	200	100	●	4,900
9.5	200	125	□	-
9.5	250	120	●	5,530
9.5	250		□	-
9.5	300	150	●	6,320
9.5	300	175	□	-
9.5	350	185		-
9.5	400	200	●	11,400
9.5	450	250	□	-
9.5	500	200	●	16,500
9.5	500	300	□	-
9.5	600	200	●	24,000
9.5	600	350		-
9.5	700	400	□	-
9.5	800	450		-

直径 Dc	全長 L	溝長 ℓ	在庫 Stock	参考価格(円) Price (¥)
9.55	200	125		-
9.55	300	175	□	-
9.6	150	110		-
9.6	200	100	●	6,040
9.6	200	125	□	-
9.6	250	120	●	6,780
9.6	250		□	-
9.6	300	150	●	7,840
9.6	300	175		-
9.6	350	185		-
9.6	400	200		-
9.6	500	300		-
9.6	600	350		-
9.6	700	400	□	-
9.6	800	450		-
9.6	1000	550		-
9.65	200	125		-
9.65	300	175		-
9.7	150	110		-
9.7	200	100	●	6,040
9.7	200	125	□	-
9.7	250	120	●	6,780
9.7	250		□	-
9.7	300	150	●	7,840
9.7	300	175		-
9.7	350	185		-
9.7	400	200		-
9.7	500	300		-
9.7	600	350		-
9.7	700	400	□	-
9.7	800	450		-
9.7	1000	550		-
9.75	200	125		-
9.75	300	175		-
9.8	150	110		-
9.8	200	100	●	6,040
9.8	200	125	□	-
9.8	250	120	●	6,780
9.8	250		□	-
9.8	300	150	●	7,840
9.8	300	175		-
9.8	350	185		-
9.8	400	200		-
9.8	500	300		-
9.8	600	350		-
9.8	700	400	□	-
9.8	800	450		-
9.8	1000	550		-
9.85	200	125		-
9.85	300	175		-
9.9	150	110		-
9.9	200	100	●	6,040
9.9	200	125	□	-
9.9	250	120	●	6,780
9.9	250		□	-
9.9	300	150	●	7,840
9.9	300	175		-
9.9	350	185		-
9.9	400	200		-
9.9	500	300		-
9.9	600	350		-
9.9	700	400	□	-
9.9	800	450		-
9.9	1000	550		-
9.95	200	125		-
9.95	300	175		-
10.0	150	110		-
10.0	200	100	●	5,280
10.0	200	125	□	-
10.0	250	120	●	5,980
10.0	250		□	-
10.0	300	150	●	6,870
10.0	300	175	□	-
10.0	350	185		-
10.0	400	200	●	11,700
10.0	450	250	□	-
10.0	500	250	●	17,000
10.0	500		□	-
10.0	600	300	●	24,100

新商品

超硬ドリル

ハイスドリル

タップ

超硬
エンドミル

ハイス
エンドミル

切断工具

パック・
セット商品
その他

精密工具

技術資料
索引

	直径 Dc	全長 L	溝長 ℓ	在庫 Stock	参考価格(円) Price (¥)	直径 Dc	全長 L	溝長 ℓ	在庫 Stock	参考価格(円) Price (¥)	直径 Dc	全長 L	溝長 ℓ	在庫 Stock	参考価格(円) Price (¥)
新商品	10.0	600	400		-	10.5	600	400		-	11.1	400	200		-
	10.0	700	450		-	10.5	700	450		-	11.1	500	300		-
	10.0	800	500		-	10.5	800	500		-	11.1	600	400		-
	10.0	1000	600	□	-	10.5	1000	600	□	-	11.1	800	500	□	-
	10.05	200	125		-	10.55	300	175		-	11.1	1000	600		-
超硬ドリル	10.05	300	175		-	10.6	200	125		-	11.15	300	175		-
	10.1	150	110		-	10.6	250	120	●	8,310	11.2	200	125		-
	10.1	200	100	●	6,620	10.6	250	150	□	-	11.2	250	120	●	9,510
	10.1	200	125	□	-	10.6	300	175	●	9,640	11.2	250	150	□	-
	10.1	250	120	●	7,720	10.6	300	175		-	11.2	300	150	●	10,600
	10.1	250	150	□	-	10.6	350	185		-	11.2	300	175		-
	10.1	300	150	●	8,750	10.6	400	200		-	11.2	400	200		-
	10.1	300	175		-	10.6	450	250		-	11.2	500	300		-
	10.1	350	185		-	10.6	500	300		-	11.2	600	400		-
	10.1	400	200		-	10.6	600	400	□	-	11.2	800	500		-
ハイスドリル	10.1	450	250		-	10.6	800	500		-	11.2	1000	600		-
	10.1	500	300		-	10.6	1000	600		-	11.25	300	175		-
	10.1	600	400	□	-	10.65	300	175		-	11.3	200	125		-
	10.1	800	500		-	10.7	200	125		-	11.3	250	120	●	9,510
	10.1	1000	600		-	10.7	250	120	●	8,310	11.3	250	150	□	-
	10.15	200	125		-	10.7	250	150	□	-	11.3	300	150	●	10,600
	10.15	300	175		-	10.7	300	150	●	9,640	11.3	300	175		-
	10.2	150	110		-	10.7	300	175		-	11.3	400	200		-
	10.2	200	100	●	6,620	10.7	350	185		-	11.3	500	300		-
	10.2	200	125	□	-	10.7	400	200		-	11.3	600	400		-
タップ	10.2	250	120	●	7,720	10.7	450	250		-	11.3	800	500	□	-
	10.2	250	150	□	-	10.7	500	300		-	11.3	1000	600		-
	10.2	300	150	●	8,750	10.7	600	400	□	-	11.35	300	175		-
	10.2	300	175		-	10.7	800	500		-	11.4	200	125		-
	10.2	350	185		-	10.7	1000	600		-	11.4	250	120	●	9,510
	10.2	400	200		-	10.75	300	175		-	11.4	250	150	□	-
	10.2	450	250		-	10.8	200	125		-	11.4	300	175	●	10,600
	10.2	500	300		-	10.8	250	120	●	8,310	11.4	300	175		-
	10.2	600	400	□	-	10.8	250	150	□	-	11.4	400	200		-
	10.2	800	500		-	10.8	300	150	●	9,640	11.4	500	300		-
超硬 エンドミル	10.2	1000	600		-	10.8	300	175		-	11.4	600	400		-
	10.25	300	175		-	10.8	350	185		-	11.4	800	500	□	-
	10.3	150	110		-	10.8	400	200		-	11.4	1000	600		-
	10.3	200	100	●	6,620	10.8	450	250		-	11.45	300	175		-
	10.3	200	125	□	-	10.8	500	300	□	-	11.5	200	125		-
	10.3	250	120	●	7,720	10.8	600	400		-	11.5	250	120	●	8,000
	10.3	250	150	□	-	10.8	800	500		-	11.5	250	150	□	-
	10.3	300	150	●	8,750	10.8	1000	600		-	11.5	300	150	●	8,850
	10.3	300	175		-	10.85	300	175		-	11.5	300	175		-
	10.3	350	185		-	10.9	200	125		-	11.5	350	185	□	-
切断工具	10.3	400	200		-	10.9	250	120	●	8,310	11.5	400	200	●	13,800
	10.3	450	250		-	10.9	250	150	□	-	11.5	450	250	□	-
	10.3	500	300		-	10.9	300	150	●	9,640	11.5	500	250	●	21,600
	10.3	600	400	□	-	10.9	300	175		-	11.5	500	300	□	-
	10.3	800	500		-	10.9	350	185		-	11.5	600	300	●	31,500
	10.3	1000	600		-	10.9	400	200		-	11.5	600	400		-
	10.35	300	175		-	10.9	450	250		-	11.5	700	450		-
	10.4	150	110		-	10.9	500	300	□	-	11.5	800	500		-
	10.4	200	100	●	6,620	10.9	600	400		-	11.5	1000	600	□	-
	10.4	200	125	□	-	10.9	800	500		-	11.55	300	175		-
パック・ セット商品 その他	10.4	250	120	●	7,720	10.9	1000	600		-	11.6	200	125		-
	10.4	250	150	□	-	10.95	300	175		-	11.6	250	120	●	9,780
	10.4	300	150	●	8,750	11.0	200	125		-	11.6	250	150	□	-
	10.4	300	175		-	11.0	250	120	●	7,010	11.6	300	150	●	11,400
	10.4	350	185		-	11.0	250	150	□	-	11.6	300	175		-
	10.4	400	200		-	11.0	300	150	●	8,090	11.6	400	200		-
	10.4	450	250		-	11.0	300	175	□	-	11.6	500	300		-
	10.4	500	300		-	11.0	350	185		-	11.6	600	400		-
	10.4	600	400	□	-	11.0	400	200	●	12,900	11.6	800	500	□	-
	10.4	800	500		-	11.0	450	250	□	-	11.6	1000	600		-
精密工具	10.4	1000	600		-	11.0	500	250	●	20,200	11.65	300	175		-
	10.45	300	175		-	11.0	500	300	□	-	11.7	200	125		-
	10.5	150	110		-	11.0	600	300	●	27,800	11.7	250	120	●	9,780
	10.5	200	125		-	11.0	600	400		-	11.7	250	150	□	-
	10.5	250	120	●	6,490	11.0	700	450		-	11.7	300	150	●	11,400
	10.5	250	150	□	-	11.0	800	500		-	11.7	300	175		-
	10.5	300	150	●	7,350	11.0	1000	600	□	-	11.7	400	200		-
	10.5	300	175		-	11.05	200	125		-	11.7	500	300		-
	10.5	350	185		-	11.05	300	175		-	11.7	600	400		-
	10.5	400	200	●	12,900	11.1	200	125		-	11.7	800	500		-
技術資料 索引	10.5	450	250	□	-	11.1	250	120	●	9,510	11.7	1000	600		-
	10.5	500	250	●	17,600	11.1	250	150	□	-	11.75	300	175		-
	10.5	500	300	□	-	11.1	300	150	●	10,600	11.8	200	125		-
	10.5	600	300	●	24,800	11.1	300	175	□	-	11.8	250	120	●	9,780

単位 (Unit) : mm

直径 Dc	全長 L	溝長 ℓ	在庫 Stock	参考価格(円) Price (¥)
11.8	250	150	□	-
11.8	300	150	●	11,400
11.8	300	175	□	-
11.8	400	200	□	-
11.8	500	300	□	-
11.8	600	400	□	-
11.8	800	500	□	-
11.8	1000	600	□	-
11.85	300	175	□	-
11.9	200	125	□	-
11.9	250	120	●	9,780
11.9	250	150	□	-
11.9	300	150	●	11,400
11.9	300	175	□	-
11.9	400	200	□	-
11.9	500	300	□	-
11.9	600	400	□	-
11.9	800	500	□	-
11.9	1000	600	□	-
11.95	300	175	□	-
12.0	200	125	□	-
12.0	250	120	□	8,270
12.0	250	150	□	-
12.0	300	150	●	9,570
12.0	300	175	□	-
12.0	350	185	□	-
12.0	400	200	●	15,200
12.0	450	250	□	-
12.0	500	300	●	21,800
12.0	500	300	□	-
12.0	600	300	●	32,700
12.0	600	400	□	-
12.0	700	450	□	-
12.0	800	500	□	-
12.0	1000	600	□	-
12.05	200	125	□	-
12.05	300	175	□	-
12.1	200	125	□	-
12.1	250	120	●	10,600
12.1	250	150	□	-
12.1	300	150	●	12,400
12.1	300	175	□	-
12.1	400	200	□	-
12.1	500	300	□	-
12.1	600	400	□	-
12.1	800	500	□	-
12.1	1000	600	□	-
12.2	200	125	□	-
12.2	250	120	●	10,600
12.2	250	150	□	-
12.2	300	150	●	12,400
12.2	300	175	□	-
12.2	400	200	□	-
12.2	500	300	□	-
12.2	600	400	□	-
12.2	800	500	□	-
12.2	1000	600	□	-
12.3	200	125	●	10,600
12.3	250	120	□	-
12.3	250	150	●	12,400
12.3	300	175	□	-
12.3	400	200	□	-
12.3	500	300	□	-
12.3	600	400	□	-
12.3	800	500	□	-
12.3	1000	600	□	-
12.4	200	125	□	-
12.4	250	120	●	10,600
12.4	250	150	□	-
12.4	300	150	●	12,400
12.4	300	175	□	-
12.4	400	200	□	-
12.4	500	300	□	-
12.4	600	400	□	-
12.4	800	500	□	-
12.4	1000	600	□	-
12.5	200	125	□	-
12.5	250	120	●	8,850

直径 Dc	全長 L	溝長 ℓ	在庫 Stock	参考価格(円) Price (¥)
12.5	250	150	□	-
12.5	300	150	●	10,400
12.5	300	175	□	-
12.5	350	185	□	-
12.5	400	200	●	16,000
12.5	450	250	□	-
12.5	500	250	●	25,800
12.5	500	300	□	-
12.5	600	300	●	33,000
12.5	600	400	□	-
12.5	700	450	□	-
12.5	800	500	□	-
12.5	1000	600	□	-
12.6	200	125	□	-
12.6	250	120	●	11,300
12.6	250	150	□	-
12.6	300	150	●	13,000
12.6	300	175	□	-
12.6	400	200	□	-
12.6	500	300	□	-
12.6	600	400	□	-
12.6	800	500	□	-
12.6	1000	600	□	-
12.7	200	125	□	-
12.7	250	120	●	11,300
12.7	250	150	□	-
12.7	300	150	●	13,000
12.7	300	175	□	-
12.7	400	200	□	-
12.7	500	300	□	-
12.7	600	400	□	-
12.7	800	500	□	-
12.7	1000	600	□	-
12.8	200	125	□	-
12.8	250	120	●	11,300
12.8	250	150	□	-
12.8	300	150	●	13,000
12.8	300	175	□	-
12.8	400	200	□	-
12.8	600	400	□	-
12.8	800	500	□	-
12.8	1000	600	□	-
12.9	200	125	□	-
12.9	250	120	●	11,300
12.9	250	150	□	-
12.9	300	150	●	13,000
12.9	300	175	□	-
12.9	400	200	□	-
12.9	500	300	□	-
12.9	600	400	□	-
12.9	800	500	□	-
12.9	1000	600	□	-
13.0	200	125	□	-
13.0	250	120	●	9,410
13.0	250	150	□	-
13.0	300	150	●	11,000
13.0	300	175	□	-
13.0	350	185	□	-
13.0	400	200	●	16,700
13.0	450	250	□	-
13.0	500	250	●	25,800
13.0	500	300	□	-
13.0	600	300	●	33,000
13.0	600	400	□	-
13.0	700	450	□	-
13.0	800	500	□	-
13.0	1000	600	□	-
*13.1	250	150	□	-
*13.1	300	200	□	-
*13.1	400	250	□	-
*13.2	250	150	□	-
*13.2	300	200	□	-
*13.2	400	250	□	-
*13.3	250	150	□	-
*13.4	250	150	□	-
*13.5	250	150	□	-
*13.5	300	200	□	-
*13.5	400	250	□	-

直径 Dc	全長 L	溝長 ℓ	在庫 Stock	参考価格(円) Price (¥)
*13.6	250	150	□	-
*13.7	250	150	□	-
*13.7	300	200	□	-
*13.7	400	250	□	-
*13.8	250	150	□	-
*13.8	300	200	□	-
*13.8	400	250	□	-
*13.9	250	150	□	-
*14.0	250	150	□	-
*14.0	300	200	□	-
*14.0	400	250	□	-
*14.0	500	350	□	-
*14.0	600	425	□	-
*14.1	250	150	□	-
*14.1	300	200	□	-
*14.1	400	250	□	-
*14.2	250	150	□	-
*14.2	300	200	□	-
*14.2	400	250	□	-
*14.3	250	150	□	-
*14.4	250	150	□	-
*14.5	250	150	□	-
*14.5	400	250	□	-
*14.6	250	150	□	-
*14.7	250	150	□	-
*14.8	250	150	□	-
*14.8	300	200	□	-
*14.8	400	250	□	-
*14.9	250	150	□	-
*15.0	250	150	□	-
*15.0	300	200	□	-
*15.0	400	250	□	-
*15.0	500	350	□	-
*15.0	600	425	□	-
*15.1	250	150	□	-
*15.1	300	200	□	-
*15.1	400	250	□	-
*15.2	250	150	□	-
*15.2	300	200	□	-
*15.2	400	250	□	-
*15.3	250	150	□	-
*15.4	250	150	□	-
*15.5	300	200	□	-
*15.5	400	250	□	-
*15.6	300	200	□	-
*15.7	300	200	□	-
*15.8	300	200	□	-
*15.9	300	200	□	-
*16.0	300	200	□	-
*16.0	400	250	□	-
*16.0	500	350	□	-
*16.0	600	425	□	-
*16.5	300	200	□	-
*17.0	300	200	□	-
*17.0	400	250	□	-
*17.5	300	200	□	-
*18.0	300	200	□	-
*18.0	400	250	□	-
*18.0	500	350	□	-
*18.0	600	425	□	-
*18.5	300	200	□	-
*18.5	400	250	□	-
*18.5	500	350	□	-
*19.0	300	200	□	-
*19.0	400	250	□	-
*19.0	500	350	□	-
*19.5	300	200	□	-
*20.0	300	200	□	-
*20.0	400	250	□	-
*20.0	500	350	□	-
*20.0	600	425	□	-
*20.5	300	200	□	-
*21.0	300	200	□	-
*21.5	300	200	□	-
*22.0	300	200	□	-
*22.0	400	250	□	-

新商品

超硬ドリル

ハイスドリル

タップ

超硬
エンドミル

ハイス
エンドミル

切断工具

パック・
セット商品
その他

精密工具

技術資料
索引

*印はタング付きストレートシャンク I-47 のタイプ 1 を参照ください。